Author Index

Aharon, D., see Dannenberg, A.J. (1210) 8
Angeli, M.T., see Marangoni, F. (1210) 55
Auclair, M., see Maziere, C. (1210) 233
Aukema, H.M., see Fowler, K.H. (1210) 89

Babin, P.J., see Wallaert, C. (1210) 23
Badr, K.F., see Morrow, J.D. (1210) 244
Balsinde, J., Fernández, B. and Solís-Herruzo, J.A.
Ethanol inhibits zymosan-stimulated eicosanoid production in mouse peritoneal macrophages (1210) 195
Benson, G.M., see Hoang, V.-Q. (1210) 73
Berg, T., see Gudmundsen, O. (1210) 63
Bézard, J., see Cao, J. (1210) 27
Black, P.N. and DiRusso, C.C.
Molecular and biochemical analyses of fatty acid transport, metabolism, and gene regulation in *Escherichia coli* (1210) 123
Bläckberg, L., see Chen, Q. (1210) 239
Blond, J.-P., see Cao, J. (1210) 27
Botham, K.M., see Hoang, V.-Q. (1210) 73
Bovard-Houppermans, S., see Ochoa, A. (1210) 41
Brown, A.J. and Fragoso, Y.D.
Tocopherols and carotenes are differently distributed in subfractions of high-density lipoprotein (1210) 373
Bühler, H., see Hundertmark, S. (1210) 348
Buono, G., see Marguet, F. (1210) 157

Cao, J., Blond, J.-P. and Bézard, J.
Inhibition of fatty acid Δ^6- and Δ^5-desaturation by cyclopropene fatty acids in rat liver microsomes (1210) 27
Carlstrom, A.J., see Ellsworth, J.L. (1210) 321
Cassagne, C., see Lawrence, J.B. (1210) 146
Chamoin, M.-C., Charbonnier, M., Lafont, H. and Ternaux, J.-P.
High-sensitive chemiluminescent assay for cholesterol (1210) 151
Chapkin, R.S., see Fowler, K.H. (1210) 89
Charbonnier, M., see Chamoin, M.-C. (1210) 151
Charles, L., see Weinhold, P.A. (1210) 335
Chauhan, K., see Yamamoto, S. (1210) 217
Chen, Q., Bläckberg, L., Nilsson, Å., Sternby, B. and Hernell, O.
Digestion of triacylglycerols containing long-chain polyenoic fatty acids in vitro by colipase-dependent pancreatic lipase and human milk bile salt-stimulated lipase (1210) 239
Christian, C., see Kresch, M.J. (1210) 167
Cipriani, L.A., see Kresch, M.J. (1210) 167
Colli, S., see Marangoni, F. (1210) 55
Conners, M.S., see Yamamoto, S. (1210) 217
Cudrey, C., see Marguet, F. (1210) 157

Dannenberg, A.J., Yang, E.K. and Aharon, D.
Dietary lipids induce Phase 2 enzymes in rat small intestine (1210) 8
Dawes, E.N., see Roldan, E.R.S. (1210) 48
Deikman, J., see Ellsworth, J.L. (1210) 321
DiRusso, C.C., see Black, P.N. (1210) 123
Djavahery-Mergny, M., see Maziere, C. (1210) 233

Ebina, Y., see Suzuki, H. (1210) 308
Edenius, C., Tornhamre, S. and Lindgren, J.Å.
Stimulation of lipoxin synthesis from leukotriene A_4 by endogenously formed 12-hydroperoxyeicosatetraenoic acid in activated human platelets (1210) 361
Edmonds, B.W., see Huff, M.W. (1210) 113
Eldredge, E.E., see Hoang, V.-Q. (1210) 73
Eligini, S., see Marangoni, F. (1210) 55
Ellsworth, J.L., Carlstrom, A.J. and Deikman, J.
Ketoconazole and 25-hydroxycholesterol produce reciprocal changes in the rate of transcription of the human LDL receptor gene (1210) 321
Evans, A.J., see Huff, M.W. (1210) 113

Falck, J.R., see Yamamoto, S. (1210) 217
Fan, Y.-Y., see Fowler, K.H. (1210) 89
Feldman, D.A., see Weinhold, P.A. (1210) 335
Fernández, B., see Balsinde, J. (1210) 195
Fowler, K.H., McMurray, D.N., Fan, Y.-Y., Aukema, H.M. and Chapkin, R.S.
Purified dietary $n-3$ polyunsaturated fatty acids alter diacylglycerol mass and molecular species composition in concanavalin A-stimulated murine splenocytes (1210) 89
Fragoso, Y.D., see Brown, A.J. (1210) 373
Fromm, M., see Hundertmark, S. (1210) 348
Furuta, S., see Yoshida, Y. (1210) 81

Galli, C., see Marangoni, F. (1210) 55
Gambacorta, A., see Trincone, A. (1210) 35
Ghosh, A., see Rana, A.P.S. (1210) 1
Gong, E.L., see Shoukry, M.I. (1210) 355
Grant, W.D., see Trincone, A. (1210) 35
Greene, D., see O'Flaherty, J.T. (1210) 209
Gudmundsen, O., Nenseter, M.S. and Berg, T.
Endocytosed LDL and β-VLDL follow different intracellular pathways in rat liver (1210) 63

Härmälä, A.-S., Pörn, M.I. and Slotte, J.P.
Sphingosine inhibits sphingomyelinase-induced cholesteryl ester formation in cultured fibroblasts (1210) 97
Harwood, J.L., see Page, R.A. (1210) 369
Hayes, K.C., see Khosla, P. (1210) 13
Hemilä, H., Koivula, T.T. and Palva, I.
Hormone-sensitive lipase is closely related to several bacterial proteins, and distantly related to acetylcholinesterase and lipoprotein lipase: identification of a superfamily of esterases and lipases (1210) 249
Hernell, O., see Chen, Q. (1210) 239
Hoang, V.-Q., Botham, K.M., Benson, G.M., Eldredge, E.E., Jackson, B., Pearce, N. and Suckling, K.E.
Bile acid synthesis in hamster hepatocytes in primary culture: sources of cholesterol and comparison with other species (1210) 73
Hoppe, H.-J., see Miyamura, K. (1210) 303
Hörnsten, L., see Liminga, M. (1210) 288
Huff, M.W., Telford, D.E., Edmonds, B.W., McDonald, C.G. and Evans, A.J.
Lipoprotein lipases, lipoprotein density gradient profile and LDL receptor activity in miniature pigs fed fish oil and corn oil (1210) 113

Author Index

Aharon, D., see Dannenberg, A.J. (1210) 8
Angeli, M.T., see Marangoni, F. (1210) 55
Auclair, M., see Maziere, C. (1210) 233
Aukema, H.M., see Fowler, K.H. (1210) 89

Babin, P.J., see Wallaert, C. (1210) 23
Badr, K.F., see Morrow, J.D. (1210) 244
Balsinde, J., Fernández, B. and Solís-Herruzo, J.A.
Ethanol inhibits zymosan-stimulated eicosanoid production in mouse peritoneal macrophages (1210) 195
Benson, G.M., see Hoang, V.-Q. (1210) 73
Berg, T., see Gudmundsen, O. (1210) 63
Bézard, J., see Cao, J. (1210) 27
Black, P.N. and DiRusso, C.C.
Molecular and biochemical analyses of fatty acid transport, metabolism, and gene regulation in *Escherichia coli* (1210) 123
Bläckberg, L., see Chen, Q. (1210) 239
Blond, J.-P., see Cao, J. (1210) 27
Botham, K.M., see Hoang, V.-Q. (1210) 73
Bovard-Houppermans, S., see Ochoa, A. (1210) 41
Brown, A.J. and Fragoso, Y.D.
Tocopherols and carotenes are differently distributed in subfractions of high-density lipoprotein (1210) 373
Bühler, H., see Hundertmark, S. (1210) 348
Buono, G., see Marguet, F. (1210) 157

Cao, J., Blond, J.-P. and Bézard, J.
Inhibition of fatty acid Δ^6- and Δ^5-desaturation by cyclopropene fatty acids in rat liver microsomes (1210) 27
Carlstrom, A.J., see Ellsworth, J.L. (1210) 321
Cassagne, C., see Lawrence, J.B. (1210) 146
Chamoin, M.-C., Charbonnier, M., Lafont, H. and Ternaux, J.-P.
High-sensitive chemiluminescent assay for cholesterol (1210) 151
Chapkin, R.S., see Fowler, K.H. (1210) 89
Charbonnier, M., see Chamoin, M.-C. (1210) 151
Charles, L., see Weinhold, P.A. (1210) 335
Chauhan, K., see Yamamoto, S. (1210) 217
Chen, Q., Bläckberg, L., Nilsson, Å., Sternby, B. and Hernell, O.
Digestion of triacylglycerols containing long-chain polyenoic fatty acids in vitro by colipase-dependent pancreatic lipase and human milk bile salt-stimulated lipase (1210) 239
Christian, C., see Kresch, M.J. (1210) 167
Cipriani, L.A., see Kresch, M.J. (1210) 167
Colli, S., see Marangoni, F. (1210) 55
Conners, M.S., see Yamamoto, S. (1210) 217
Cudrey, C., see Marguet, F. (1210) 157

Dannenberg, A.J., Yang, E.K. and Aharon, D.
Dietary lipids induce Phase 2 enzymes in rat small intestine (1210) 8
Dawes, E.N., see Roldan, E.R.S. (1210) 48
Deikman, J., see Ellsworth, J.L. (1210) 321
DiRusso, C.C., see Black, P.N. (1210) 123
Djavahery-Mergny, M., see Maziere, C. (1210) 233

Ebina, Y., see Suzuki, H. (1210) 308
Edenius, C., Tornhamre, S. and Lindgren, J.Å.
Stimulation of lipoxin synthesis from leukotriene A_4 by endogenously formed 12-hydroperoxyeicosatetraenoic acid in activated human platelets (1210) 361
Edmonds, B.W., see Huff, M.W. (1210) 113
Eldredge, E.E., see Hoang, V.-Q. (1210) 73
Eligini, S., see Marangoni, F. (1210) 55
Ellsworth, J.L., Carlstrom, A.J. and Deikman, J.
Ketoconazole and 25-hydroxycholesterol produce reciprocal changes in the rate of transcription of the human LDL receptor gene (1210) 321
Evans, A.J., see Huff, M.W. (1210) 113

Falck, J.R., see Yamamoto, S. (1210) 217
Fan, Y.-Y., see Fowler, K.H. (1210) 89
Feldman, D.A., see Weinhold, P.A. (1210) 335
Fernández, B., see Balsinde, J. (1210) 195
Fowler, K.H., McMurray, D.N., Fan, Y.-Y., Aukema, H.M. and Chapkin, R.S.
Purified dietary $n-3$ polyunsaturated fatty acids alter diacylglycerol mass and molecular species composition in concanavalin A-stimulated murine splenocytes (1210) 89
Fragoso, Y.D., see Brown, A.J. (1210) 373
Fromm, M., see Hundertmark, S. (1210) 348
Furuta, S., see Yoshida, Y. (1210) 81

Galli, C., see Marangoni, F. (1210) 55
Gambacorta, A., see Trincone, A. (1210) 35
Ghosh, A., see Rana, A.P.S. (1210) 1
Gong, E.L., see Shoukry, M.I. (1210) 355
Grant, W.D., see Trincone, A. (1210) 35
Greene, D., see O'Flaherty, J.T. (1210) 209
Gudmundsen, O., Nenseter, M.S. and Berg, T.
Endocytosed LDL and β-VLDL follow different intracellular pathways in rat liver (1210) 63

Härmälä, A.-S., Pörn, M.I. and Slotte, J.P.
Sphingosine inhibits sphingomyelinase-induced cholesteryl ester formation in cultured fibroblasts (1210) 97
Harwood, J.L., see Page, R.A. (1210) 369
Hayes, K.C., see Khosla, P. (1210) 13
Hemilä, H., Koivula, T.T. and Palva, I.
Hormone-sensitive lipase is closely related to several bacterial proteins, and distantly related to acetylcholinesterase and lipoprotein lipase: identification of a superfamily of esterases and lipases (1210) 249
Hernell, O., see Chen, Q. (1210) 239
Hoang, V.-Q., Botham, K.M., Benson, G.M., Eldredge, E.E., Jackson, B., Pearce, N. and Suckling, K.E.
Bile acid synthesis in hamster hepatocytes in primary culture: sources of cholesterol and comparison with other species (1210) 73
Hoppe, H.-J., see Miyamura, K. (1210) 303
Hörnsten, L., see Liminga, M. (1210) 288
Huff, M.W., Telford, D.E., Edmonds, B.W., McDonald, C.G. and Evans, A.J.
Lipoprotein lipases, lipoprotein density gradient profile and LDL receptor activity in miniature pigs fed fish oil and corn oil (1210) 113

Hundertmark, S., Ragosch, V., Schein, B., Bühler, H., Lorenz, U., Fromm, M. and Weitzel, H.K.
Gestational age dependence of 11β-hydroxysteroid dehydrogenase and its relationship to the enzymes of phosphatidylcholine synthesis in lung and liver of fetal rat (1210) 348

Iguchi, K., see Watanabe, M. (1210) 174
Iimori, M., see Tanaka, T. (1210) 202
Iwai, M., see Yamashita, H. (1210) 329

Jackson, B., see Hoang, V.-Q. (1210) 73

Kader, J.-C., see Østergaard, J. (1210) 381
Kanai, F., see Suzuki, H. (1210) 308
Kawashima, Y., Mizuguchi, H. and Kozuka, H.
Modulation by dietary oils and clofibric acid of arachidonic acid content in phosphatidylcholine in liver and kidney of rat: effects on prostaglandin formation in kidney (1210) 187
Kellner, R., see Kleemann, G. (1210) 317
Khosla, P. and Hayes, K.C.
Dietary palmitic acid raises plasma LDL cholesterol relative to oleic acid only at a high intake of cholesterol (1210) 13
Kishimoto, K., see Suzuki, H. (1210) 308
Kleemann, G., Kellner, R. and Poralla, K.
Purification and properties of the squalene-hopene cyclase from *Rhodopseudomonas palustris*, a purple non-sulfur bacterium producing hopanoids and tetrahymanol (1210) 317
Kobayashi, N., see Yamashita, H. (1210) 329
Koivula, T.T., see Hemilä, H. (1210) 249
Kozuka, H., see Kawashima, Y. (1210) 187
Kresch, M.J., Cipriani, L.A., Lu, H. and Christian, C.
Developmental regulation of re-uptake of phosphatidylcholine by type II alveolar epithelium (1210) 167
Kühn, H., see Regdel, D. (1210) 297

Lafont, H., see Chamoin, M.-C. (1210) 151
Lama, L., see Trincone, A. (1210) 35
Laniado-Schwartzman, M., see Yamamoto, S. (1210) 217
Lawrence, J.B., Moreau, P., Cassagne, C. and Morré, D.J.
Acyl transfer reactions associated with *cis* Golgi apparatus of rat liver (1210) 146
Le Goff, D.
Follicular fluid lipoproteins in the mare: evaluation of HDL transfer from plasma to follicular fluid (1210) 226
Liminga, M., Hörnsten, L., Sprecher, H.W. and Oliw, E.H.
Arachidonate 15-lipoxygenase in human corneal epithelium and 12- and 15-lipoxygenases in bovine corneal epithelium: comparison with other bovine 12-lipoxygenases (1210) 288
Lindgren, J.Å., see Edenius, C. (1210) 361
López Bernal, A., see Miyamura, K. (1210) 303
Lorenz, U., see Hundertmark, S. (1210) 348
Lu, H., see Kresch, M.J. (1210) 167

Macpherson, P., see Miyamura, K. (1210) 303
Majumder, G.C., see Rana, A.P.S. (1210) 1
Malhotra, R., see Miyamura, K. (1210) 303
Marangoni, F., Angeli, M.T., Colli, S., Eligini, S., Tremoli, E., Sirtori, C.R. and Galli, C.
Changes of $n-3$ and $n-6$ fatty acids in plasma and circulating cells of normal subjects, after prolonged administration of 20:5 (EPA) and 22:6 (DHA) ethyl esters and prolonged washout (1210) 55
Marguet, F., Cudrey, C., Verger, R. and Buono, G.
Digestive lipases: inactivation by phosphonates (1210) 157
Maziere, C., Djavahery-Mergny, M., Auclair, M. and Maziere, J.-C.
1 Acyl-2 acetyl-*sn*-glycero-3 phosphocholine decreases the susceptibility of low-density lipoprotein to oxidative modification by copper ions, monocytes or endothelial cells (1210) 233
Maziere, J.-C., see Maziere, C. (1210) 233
McDonald, C.G., see Huff, M.W. (1210) 113
McMurray, D.N., see Fowler, K.H. (1210) 89
Melan, M.A., Nemhauser, J.L. and Peterman, T.K.
Structure and sequence of the *Arabidopsis thaliana* lipoxygenase 1 gene (1210) 377
Minnikin, D.E., see Watanabe, M. (1210) 174
Minton, T.A., see Morrow, J.D. (1210) 244
Misra, S., see Rana, A.P.S. (1210) 1
Miyamura, K., Malhotra, R., Hoppe, H.-J., Reid, K.B.M., Phizackerley, P.J.R., Macpherson, P. and López Bernal, A.
Surfactant proteins A (SP-A) and D (SP-D): levels in human amniotic fluid and localization in the fetal membranes (1210) 303
Miyatake, A., see Suzuki, H. (1210) 308
Mizuguchi, H., see Kawashima, Y. (1210) 187
Moreau, P., see Lawrence, J.B. (1210) 146
Morré, D.J., see Lawrence, J.B. (1210) 146
Morrow, J.D., Minton, T.A., Badr, K.F. and Roberts II, L.J.
Evidence that the F_2-isoprostane, 8-epi-prostaglandin $F_{2\alpha}$, is formed in vivo (1210) 244

Nano, J.-L., see Safonova, I.G. (1210) 181
Nemhauser, J.L., see Melan, M.A. (1210) 377
Nenseter, M.S., see Gudmundsen, O. (1210) 63
Nichols, A.V., see Shoukry, M.I. (1210) 355
Nicolaus, B., see Trincone, A. (1210) 35
Niki, E., see Yoshida, Y. (1210) 81
Nilsson, Å., see Chen, Q. (1210) 239
Nishimura, M., see Yamamoto, S. (1210) 217

Ochoa, A., Bovard-Houppermans, S. and Zakin, M.M.
Human apolipoprotein A-IV gene expression is modulated by members of the nuclear hormone receptor superfamily (1210) 41
O'Flaherty, J.T., Tessner, T., Greene, D., Redman, J.R. and Wykle, R.L.
Comparison of 1-*O*-alkyl-, 1-*O*-alk-1′-enyl-, and 1-*O*-acyl-2-acetyl-*sn*-glycero-3-phosphoethanolamines and -3-phosphocholines as agonists of the platelet-activating factor family (1210) 209
Okada, S., see Page, R.A. (1210) 369
Oliw, E.H., see Liminga, M. (1210) 288
Østergaard, J., Vergnolle, C., Schoentgen, F. and Kader, J.-C.
Acyl-binding/lipid-transfer proteins from rape seedlings, a novel category of proteins interacting with lipids (Biochim. Biophys. Acta 1170 (1993) 109–117 (BBALIP 54253)) (1210) 381

Page, R.A., Okada, S. and Harwood, J.L.
Acetyl-CoA carboxylase exerts strong flux control over lipid synthesis in plants (1210) 369
Pagnotta, E., see Trincone, A. (1210) 35
Palva, I., see Hemilä, H. (1210) 249
Pearce, N., see Hoang, V.-Q. (1210) 73
Peterman, T.K., see Melan, M.A. (1210) 377
Phizackerley, P.J.R., see Miyamura, K. (1210) 303
Poralla, K., see Kleemann, G. (1210) 317
Pörn, M.I., see Härmälä, A.-S. (1210) 97

Ragosch, V., see Hundertmark, S. (1210) 348
Rampal, P., see Safonova, I.G. (1210) 181
Rana, A.P.S., Misra, S., Majumder, G.C. and Ghosh, A.
Phospholipid asymmetry of goat sperm plasma membrane during epididymal maturation (1210) 1
Redman, J.R., see O'Flaherty, J.T. (1210) 209
Regdel, D., Kühn, H. and Schewe, T.
On the reaction specificity of the lipoxygenase from tomato fruits (1210) 297
Reid, K.B.M., see Miyamura, K. (1210) 303
Repin, V.S., see Safonova, I.G. (1210) 181

Roberts II, L.J., see Morrow, J.D. (1210) 244
Roldan, E.R.S. and Dawes, E.N.
Phospholipase D and exocytosis of the ram sperm acrosome (1210) 48

Safonova, I.G., Sviridov, D.D., Nano, J.-L., Rampal, P. and Repin, V.S.
Regulation of cholesterol uptake in the rat intestinal cell line (1210) 181
Saheki, S., see Yamashita, H. (1210) 329
Schein, B., see Hundertmark, S. (1210) 348
Schewe, T., see Regdel, D. (1210) 297
Schoentgen, F., see Østergaard, J. (1210) 381
Shimazu, T., see Yamashita, H. (1210) 329
Shoukry, M.I., Gong, E.L. and Nichols, A.V.
Apolipoprotein-lipid association in oxidatively modified HDL and LDL (1210) 355
Sirtori, C.R., see Marangoni, F. (1210) 55
Slotte, J.P., see Härmälä, A.-S. (1210) 97
Solís-Herruzo, J.A., see Balsinde, J. (1210) 195
Sprecher, H.W., see Liminga, M. (1210) 288
Stedronsky, E.R.
Interaction of bile acids and cholesterol with non-systemic agents having hypocholesterolemic properties (1210) 255
Sternby, B., see Chen, Q. (1210) 239
Stoltz, R.A., see Yamamoto, S. (1210) 217
Suckling, K.E., see Hoang, V.-Q. (1210) 73
Suzuki, H., Kishimoto, K., Yoshimoto, T., Yamamoto, S., Kanai, F., Ebina, Y., Miyatake, A. and Tanabe, T.
Site-directed mutagenesis studies on the iron-binding domain and the determinant for the substrate oxygenation site of porcine leukocyte arachidonate 12-lipoxygenase (1210) 308
Sviridov, D.D., see Safonova, I.G. (1210) 181

Tanabe, T., see Suzuki, H. (1210) 308
Tanaka, T., Iimori, M., Tsukatani, H. and Tokumura, A.
Platelet-aggregating effects of platelet-activating factor-like phospholipids formed by oxidation of phosphatidylcholines containing an *sn*-2-polyunsaturated fatty acyl group (1210) 202
Telford, D.E., see Huff, M.W. (1210) 113
Ternaux, J.-P., see Chamoin, M.-C. (1210) 151
Tessner, T., see O'Flaherty, J.T. (1210) 209
Tokumura, A., see Tanaka, T. (1210) 202
Tornhamre, S., see Edenius, C. (1210) 361
Tóth, M.
Attenuation of diacylglycerol signal in the primordial human placenta: role of phosphatidylcholine formation (1210) 105
Tremoli, E., see Marangoni, F. (1210) 55
Trincone, A., Trivellone, E., Nicolaus, B., Lama, L., Pagnotta, E., Grant, W.D. and Gambacorta, A.
The glycolipid of *Halobacterium trapanicum* (1210) 35
Trivellone, E., see Trincone, A. (1210) 35
Tsukatani, H., see Tanaka, T. (1210) 202

Verger, R., see Marguet, F. (1210) 157
Vergnolle, C., see Østergaard, J. (1210) 381

Wallaert, C. and Babin, P.J.
Circannual variation in the fatty acid composition of high-density lipoprotein phospholipids during acclimatization in trout (1210) 23
Watanabe, M., Yamada, Y., Iguchi, K. and Minnikin, D.E.
Structural elucidation of new phenolic glycolipids from *Mycobacterium tuberculosis* (1210) 174
Weinhold, P.A., Charles, L. and Feldman, D.A.
Regulation of CTP : phosphocholine cytidylyltransferase in HepG2 cells: effect of choline depletion on phosphorylation, translocation and phosphatidylcholine levels (1210) 335
Weitzel, H.K., see Hundertmark, S. (1210) 348
Wykle, R.L., see O'Flaherty, J.T. (1210) 209

Yamada, Y., see Watanabe, M. (1210) 174
Yamamoto, S., Nishimura, M., Conners, M.S., Stoltz, R.A., Falck, J.R., Chauhan, K. and Laniado-Schwartzman, M.
Oxidation and keto reduction of 12-hydroxy-5,8,10,14-eicosatetraenoic acids in bovine corneal epithelial microsomes (1210) 217
Yamamoto, S., see Suzuki, H. (1210) 308
Yamashita, H., Saheki, S., Iwai, M., Kobayashi, N. and Shimazu, T.
Reduced hepatic release of apoprotein B after enteral nutrition in rats (1210) 329
Yang, E.K., see Dannenberg, A.J. (1210) 8
Yoshida, Y., Furuta, S. and Niki, E.
Effects of metal chelating agents on the oxidation of lipids induced by copper and iron (1210) 81
Yoshimoto, T., see Suzuki, H. (1210) 308

Zakin, M.M., see Ochoa, A. (1210) 41